


Rubber Pipe Connector

Rubber Pipe is an economical, abrasion-resistant replacement for steel and cast iron pipe, either in straight lengths or where a specified radius is required. Rubber Pipe may be used in conveying ore, corrosive chemicals, sand, and other abrasive slurries. It is absolutely necessary that rigid metal pipe on both ends of the pipe be properly anchored to eliminate the danger of excessive elongation. If the pipeline is not anchored, control units should be used.

Material: EPDM, NBR, NR

Drilled Flanges: DIN, EN, ANSI, BS, JIS and other standards



I.D.	Minimum Overall Length	Maximum Overall Length	Flange O.D.	Flange Thickness	Bolt Circle Diameter	Holes	
						No.	Diameter
1-1/2"	12"	24"	5"	11/16"	3-7/8"	4	5/8"
2"	12"	24"	6"	11/16"	4-3/4"	4	3/4"
3"	12"	36"	7-1/2"	27/32"	6"	4	3/4"
4"	12"	36"	9"	27/32"	7-1/2"	8	3/4"
5"	12"	36"	10"	15/16"	8-1/2"	8	7/8"
6"	18"	36"	11"	31/32"	9-1/2"	8	7/8"
8"	24"	48"	13-1/2"	31/32"	11-3/4"	8	7/8"
10"	24"	48"	16"	1-3/16"	14-1/4"	12	1"
12"	24"	48"	19"	1-7/32"	17"	12	1"